

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S36	90	configuration and runtime and environment and graphic near3 (element and display) and (binding bound) and (configuration operator maintenance simulation) and (@ad=>"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 19:52
S37	90	configuration and runtime and environment and graphic near3 (element and display) and (binding bound) and (configuration operator maintenance simulation) and (workstation laptop handheld display) and (@ad=>"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 19:53
S40	21	(configuration and runtime) same environment and graphic near3 (element and display) and (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) and (workstation laptop handheld display) and (@ad=>"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 19:54
S39	19	configuration same runtime same environment and graphic near3 (element and display) and (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) and (workstation laptop handheld display) and (@ad=>"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 19:54

S38	90	configuration and runtime and environment and graphic near3 (element and display) and (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) and (workstation laptop handheld display) and (@ad-> "20040504" @rlad-< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 19:54
S41	0	(configuration and runtime) same environment and graphic near3 (element and display) same (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) and (workstation laptop handheld display) and (@ad-> "20040504" @rlad-< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 19:58
S42	3	(configuration and runtime) same environment and graphic near3 (element and display) and (binding bound) same (visualization property parameter) and (configuration operator maintenance simulation) and (workstation laptop handheld display) and (@ad-> "20040504" @rlad-< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 19:59
S43	3	(configuration and runtime) same environment and graphic near3 (element and display) and (binding bound) same (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad-> "20040504" @rlad-< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:03

S46	20	(configuration and runtime) same environment and graphic near3 (element and display) and (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad=<"20040504" @lad=<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:16
S45	19	configuration same runtime same environment and graphic near3 (element and display) and (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad=<"20040504" @lad=<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:16
S44	3	configuration same runtime same environment and graphic near3 (element and display) and (binding bound) same (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad=<"20040504" @lad=<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:16
S48	10	configuration same runtime same environment and graphic near3 (element object display) same (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad=<"20040504" @lad=<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:17

S47	10	(configuration and runtime) same environment and graphic near3 (element object display) same ((binding bound) and (visualization property parameter)) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:17
S51	2	configuration same runtime same environment and graphic near3 (element object display) same ((binding bound) and (visualization property parameter)) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:25
S50	10	configuration same runtime same environment and graphic near3 (element object display) same ((binding bound) and (visualization property parameter)) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:25
S49	10	(configuration and runtime) same environment and graphic near3 (element object display) same ((binding bound) and (visualization property parameter)) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:25

S52	2	(configuration and runtime) same environment and graphic near3 (element object display) same (binding bound) same (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:31
S57	43	"345"/\$ and (configuration and runtime) same environment and graphic near3 (element object display) and (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:51
S56	26	"719"/\$ and (configuration and runtime) same environment and graphic near3 (element object display) and (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:51
S55	44	"717"/\$ and (configuration and runtime) same environment and graphic near3 (element object display) and (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:51

S54	26	"715"/\$ and (configuration and runtime) same environment and graphic near3 (element object display) and (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad< "20040504" @rlad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:51
S53	20	"700"/\$ and (configuration and runtime) same environment and graphic near3 (element object display) and (binding bound) and (visualization property parameter) and (configuration operator maintenance simulation) same (workstation laptop handheld display) and (@ad< "20040504" @rlad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 20:51
S58	0	configuration near3 environment same graphic near3 (element object) same data near3 source and graphic near3 (element object) same (visualization visual property) same (runtime run-time run near time) near3 environment and graphic near3 (element object) same data near3 source same (binding bound) same (runtime run-time run near time) near3 environment and (@ad< "20040504" @rlad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:13

S59	0	configuration near3 environment and graphic near3 (element object) same data near3 source and graphic near3 (element object) same (visualization visual property) and (runtime run-time run near time) near3 environment and graphic near3 (element object) same data near3 source same (binding bound) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:14
S61	0	configuration near3 environment and graphic near3 (element object) and graphic near3 (element object) same (visualization visual property) and (runtime run-time run near time) near3 environment and graphic near3 (element object) same (binding bound) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:19
S60	0	configuration near3 environment and graphic near3 (element object) and data near3 source and graphic near3 (element object) same (visualization visual property) and (runtime run-time run near time) near3 environment and graphic near3 (element object) same (binding bound) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:19
S62	55	configuration near3 environment and graphic near3 (element object) and graphic near3 (element object) and (visualization visual property) and (runtime run-time run near time) near3 environment and (binding bound) and (@ad< "20040504" @rlad< "20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:20

S63	40	configuration near3 environment and graphic near3 (element object) and graphic near3 (element object) and (visualization visual property) and (runtime run-time run near time) near3 environment and (binding bound) same (display view) and (@ad= "20040504" @lad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:21
S64	40	configuration near3 environment and graphic near3 (element object) and graphic near3 (element object) and (visualization visual property) and (runtime run-time run near time) near3 environment and (binding bound) same (display view) and (resolution table) and (@ad= "20040504" @lad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:28
S65	36	configuration near3 environment and graphic near3 (element object) and graphic near3 (element object) and (visualization visual property) and (runtime run-time run near time) near3 environment and (binding bound) same (display view) and (resolution table) and display same (operations maintenance configuration simulation) and (@ad= "20040504" @lad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:30
S69	3	"719"/\$ and configuration near3 environment and graphic near3 (element object) and graphic near3 (element object) and (visualization visual property) and (runtime run-time run near time) near3 environment and (binding bound) same (display view) and (resolution table) and display same (operations maintenance configuration simulation) and	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:31

		(@ad< "20040504" @rlad< "20040504")				
S68	21	"717"/\$ and configuration near3 environment and graphic near3 (element object) and graphic near3 (element object) and (visualization visual property) and (runtime run-time run near time) near3 environment and (binding bound) same (display view) and (resolution table) and display same (operations maintenance configuration simulation) and (@ad< "20040504" @rlad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:31
S67	8	"715"/\$ and configuration near3 environment and graphic near3 (element object) and graphic near3 (element object) and (visualization visual property) and (runtime run-time run near time) near3 environment and (binding bound) same (display view) and (resolution table) and display same (operations maintenance configuration simulation) and (@ad< "20040504" @rlad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:31
S66	9	"700"/\$ and configuration near3 environment and graphic near3 (element object) and graphic near3 (element object) and (visualization visual property) and (runtime run-time run near time) near3 environment and (binding bound) same (display view) and (resolution table) and display same (operations maintenance configuration simulation) and (@ad< "20040504" @rlad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:31

S70	10	"345"/\$ and configuration near3 environment and graphic near3 (element object) and graphic near3 (element object) and (visualization visual property) and (runtime run-time run near time) near environment and (binding bound) same (display view) and (resolution table) and display same (operations maintenance configuration simulation) and (@ad<"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/10 21:32
S80	518	(resolution table) same (element display view) same (binding bound) same (database data near source data near base) and (@ad<"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:10
S82	34	(resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) same display same (operations maintenance configuration simulation) and (@ad<"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:13
S81	101	(resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (@ad<"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:13

S90	21	"345"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (@ad->"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:18
S89	13	"340"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (@ad->"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:18
S88	16	"719"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (@ad->"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:18
S87	14	"717"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (@ad->"20040504" @rlad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:18

S86	22	"715"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (@ad-< "20040504" @rlad-< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:18
S85	4	"710"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (@ad-< "20040504" @rlad-< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:18
S84	4	"702"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (@ad-< "20040504" @rlad-< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:18
S83	3	"700"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (@ad-< "20040504" @rlad-< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:18

S94	15	"345"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (runtime run-time run near time) and (@ad< "20040504" @rlad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:22
S93	15	"715"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (runtime run-time run near time) and (@ad< "20040504" @rlad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:22
S92	1	"700"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (runtime run-time run near time) and (@ad< "20040504" @rlad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:22
S91	43	(resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and display same (operations maintenance configuration simulation) and (runtime run-time run near time) and (@ad< "20040504" @rlad< "20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:22

S95	1	"700"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and (gui interface display) same (operations maintenance configuration simulation) and (runtime run-time run near time) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:24
S98	8	"345"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and (gui interface display) same (operations maintenance configuration simulation) same (runtime run-time run near time) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:25
S97	6	"715"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and (gui interface display) same (operations maintenance configuration simulation) same (runtime run-time run near time) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:25
S96	1	"700"/\$ and (resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and (gui interface display) same (operations maintenance configuration simulation) same (runtime run-time run near time) and (@ad<"20040504" @rlad<"20040504")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:25

S99	23	(resolution table) same (element display view) same (binding bound) same (database data near source data near base) same (connect\$4 process control environment) and (gui interface display) same (operations maintenance configuration simulation) same (runtime run-time run near time) and (@ad<"20040504" @lad<"20040504")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/11 13:30
-----	----	--	---	----	----	---------------------

2/11/11 7:33:37 PM
H:\EAST\10575173.wsp